

TRANSMITTAL LETTER TO THE UNITED STATES

DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

09/744999

INTERNATIONAL APPLICATION NO.

PCT/EP99/05550

INTERNATIONAL FILING DATE

31 July 1999

PRIORITY DATE CLAIMED

22 August 1998

TITLE OF INVENTION

DATA LINK BETWEEN TWO COMPUTERS, AND METHOD FOR TRANSMITTING DATA BETWEEN SAID COMPUTERS

APPLICANT(S) FOR DO/EO/US

Thomas ENGEL; Ernst-George HAFNER; and Christoph MEINEL

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
 - a. ☒ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ has been transmitted by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☒ A copy of the International Search Report (PCT/ISA/210).
8. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
 - a. ☒ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☐ have not been made and will not be made.
9. ☒ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
10. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
11. ☒ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).

Items 13 to 20 below concern document(s) or information included:

13. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☒ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☐ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☐ Certificate of Mailing by Express Mail
20. ☒ Other items or information:

U.S. APPLICATION NO. **09/744999**

INTERNATIONAL APPLICATION NO.

PCT/EP99/05550

ATTORNEY'S DOCKET NUMBER

A-7281

21. The following fees are submitted:

CALCULATIONS PTO USE ONLY

BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :

- ☐ Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO **\$1,000.00**
- ☐ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO **\$860.00**
- ☐ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO **\$710.00**
- ☐ International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) **\$690.00**
- ☐ International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) **\$100.00**

ENTER APPROPRIATE BASIC FEE AMOUNT =

\$1,000.00

Surcharge of **\$130.00** for furnishing the oath or declaration later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).

\$0.00

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	
Total claims	18 - 20 =	0	x \$18.00	\$0.00
Independent claims	2 - 3 =	0	x \$80.00	\$0.00
Multiple Dependent Claims (check if applicable).			<input type="checkbox"/>	\$0.00

TOTAL OF ABOVE CALCULATIONS =

\$1,000.00

Reduction of 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 CFR 1.9, 1.27, 1.28) (check if applicable). ☐

\$0.00

SUBTOTAL =

\$1,000.00

Processing fee of **\$130.00** for furnishing the English translation later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).

\$0.00

TOTAL NATIONAL FEE =

\$1,000.00

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). ☒

\$40.00

TOTAL FEES ENCLOSED =

\$1,040.00


Amount to be refunded	\$
charged	\$

- ☒ A check in the amount of **\$1,040.00** to cover the above fees is enclosed.
- ☐ Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees.
A duplicate copy of this sheet is enclosed.
- ☒ The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. **08-2455** A duplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Mitchell B. Wasson - Reg. 27,408
Hoffman, Wasson & Gitler, P.C.
2361 Jefferson Davis Highway - Suite 522
Arlington, VA 22202


SIGNATURE

Mitchell B. Wasson

NAME

27,4008

REGISTRATION NUMBER

February 22, 2001

DATE

DATA LINK BETWEEN TWO COMPUTERS, AND
METHOD FOR TRANSMITTING DATA BETWEEN SAID COMPUTERS

BACKGROUND OF THE INVENTION

Any transmission of data between two computers raises questions of how secure such a transmission is against unauthorized interception or even manipulation of the data or the transmission processes by unauthorized third parties. For companies, banks, and government authorities, an additional security concern arises if their own enterprise-wide computer network is to be protected against attacks from the outside, e.g., from the Internet. Especially if there is an active connection between the enterprise and the Internet, unauthorized access to the internal computer network of an enterprise can jeopardize data security in this computer network.

As described in "The Internet, From Access to 'Zine", AT&T Technology, 1993, pp. 2-9, authored by Deborah Mills-Scofield, and "Firewalls and Security on the Internet, 1996, ISBN 3-89319-875-x, authored by Cheswick and Bellovin, various computer systems with data links of different designs for data transmission are known. So-called firewalls are used to solve the security problems. At the firewalls the (TCP/IP-) data packets are analyzed, unauthorized access is denied, and authorized requests are permitted. Firewalls do not, however, represent a physical separation between the internal computer network of an enterprise and the outside world. Rather, the data packets are analyzed by software (see Pp. 64, Sect. 3.3, Para. 1 and Page 88, Sect. 3.4, Para. 1 in "Firewalls and Security on the Internet".

As described in "Firewall Systems", authored by N. Pohlmann, a computer system of the type described above is known. A so-called application gateway is used as a lock element between two computers in a computer link. The first computer is, for example, part of the Internet, and the other computer is part, for example, of an in-house intranet. The application gateway ensures the physical disconnection of the two computers in the sense that when one computer is accessed from the other, the

accessing computer appears not at its own address, but rather at the address of the application gateway so that individual data transfer processes can no longer be carried out. At the application gateway, software (a so-called proxy) is made available which during the data transfer moves the data packets back and forth between the computers. Even in the case of the computer system described in this article, the data packets are analyzed by software.

By manipulating these software-implemented firewalls from the outside or through some other unauthorized access, it is therefore still possible to obtain access to an in-house computer network from the outside and to threaten data security in an enterprise-wide computer network. If the security requirements of an enterprise are especially stringent, the known firewalls cannot offer adequate security.

It is therefore the object of this invention to make available more effective security mechanisms for stopping attacks by unauthorized third parties on computers on a data link.

SUMMARY OF THE INVENTION

The present invention pertains to a computer system that comprises at least one computer, a second computer, and a data link between the first computer and the second computer for the purpose of transmitting data, whereby in the data link there is a lock element. Between the first computer and the lock element there is a first flood gate (inner flood gate [IFG]). Between the second computer and the lock element there is a second flood gate (outer flood gate [OFG]). When the first flood gate is closed the second flood gate is opened and, vice versa, when the second flood gate is closed the first flood gate is opened.

The invention also pertains to a process for transmitting data between a first computer and a second computer via a data link, whereby the data is transmitted in one direction by the first computer through an opened first flood gate to a

lock element. When the first flood gate is closed, and the second flood gate is opened, data is transmitted through the second flood gate to the second computer. When the data moves in the opposite direction the process takes place in the opposite sequence.

The first computer can be, for example, part of an internal enterprise-wide computer network. The second computer can be designed as a computer in the World-Wide Net.

The invention proposes, based on the computer system of the type mentioned above, that the data link be designed as an Integrated Services Digital Network (ISDN) connection according to the Net Terminal Base Adapter (NTBA) Standard, that the transfer of data from the first computer be carried out via a third computer that is located in a common computer network with the first computer and vice versa via the lock element to the second computer, whereby the establishment of a data link and the transfer of data between the third computer and the lock element and between the second computer and the lock element are carried out via the two B-channels of the ISDN connection according to the NTBA Standard.

According to the invention, technical provisions are thus made in the computer system that ensure that it is not technically possible to establish a data link from the first computer to the third computer at the same time as a link is established from the third computer to the second computer. To accomplish this, it is proposed that in each case the two B-channels of an ISDN connection be used to provide a data link from the first computer to the third computer or from the third computer to the second computer. This will make it possible to meet very rigorous security requirements at comparatively low cost.

An ISDN connection according to the NTBA Standard has two bearer channels (B-channels) and a data channel (D-channel). Thus, the ISDN-NTBA configuration allows a maximum of two data-transfer links at one time. The data link is designed in

such a way that when the third computer establishes a connection with the lock element in order to transfer data, this requires the two B-channels of the ISDN-NTBA configuration. The lock element is dialed up via one B-channel, and the data transfer link to the lock element is established via the second B-channel (the first flood gate is opened). It is therefore impossible to set up a link between the lock element and the second computer at the same time since the ISDN-NTBA configuration no longer has a free B-channel available (the second flood gate cannot be opened).

If, in the opposite situation, there is already a connection between the second computer and the lock element (second flood gate is opened) via one of the two B-channels, the third computer can no longer set up a link to the lock element (the first flood gate cannot be opened) since, as explained above, this requires both B-channels of the ISDN-NTBA configuration. By making dual use of the same NTBA, i.e., on the one hand at the third computer and on the other at the lock element, the lock function of the data link of the computer system according to the invention can be implemented in a simple fashion.

The lock element is designed as, e.g., a computer. The data link of the computer system according to the invention produces a slight time delay in data transfer that the user will hardly notice. During this time delay the flood gates are opened and closed and the data to be transferred is analyzed. By properly controlling the sequence of the individual steps in the data transfer, the time delay can be reduced to a minimum.

According to an advantageous enhancement of the invention, it is proposed that the first computer be located in a first computer network. The first computer is preferably designed as a server for a computer network, and the first computer network is preferably designed as an internal enterprise-wide network. In such in-house computer networks, data security is especially important. Many enterprises have now

5 begun to handle a large portion of their company business completely electronically via their in-house computer networks. Unauthorized access to these computer networks from the outside or manipulation of the data contained therein can do extremely serious damage to the enterprise. In this respect the data link of the computer system according to the invention represents a remedy.

10 According to another advantageous enhancement of the computer system according to the invention, it is proposed that the second computer be located in a second computer network. The second computer is preferably designed as an Internet server, and the second computer network is preferably the Internet. Attacks by third parties across the Internet on the in-house computer networks connected to the Internet pose a particularly serious threat to data security in such enterprises.

15 When data are transmitted from a computer in an in-house computer network to a computer on the Internet, data security is of especially great importance since theoretically millions of Internet users could penetrate the in-house computer network without permission and manipulate the data stored therein. Moreover, in the world-wide Internet, which is accessible to everyone, there are many so-called viruses and Trojan horses in circulation that can pose a serious threat to the data stores of the enterprise once they have penetrated the enterprise's in-house computer network. The data link of the computer system according to the invention offers a suitable platform for ensuring secure and reliable protection against viruses, etc.. To accomplish this, a suitable means of analysis must be present in the data link, preferably in the lock element.

20 According to another advantageous enhancement of the invention, it is proposed that there be a third computer in the first computer network and that there be a fourth computer in the lock element.

25 The fourth computer may be located inside the lock element in its own network environment which, however, must be

physically separated from both the first computer network and from the second computer network. The idea of the fourth computer is to carry out various analysis processes within the lock element and thus to provide a certain amount of pre-selection. The third computer is also connected to the ISDN connection. The fourth computer is not connected directly to the ISDN-NTBA configuration since it is connected (via a separate network) to the lock element.

To transmit data, the data to be transmitted is sent from the first computer to the third computer. In the third computer the data is analyzed and checked. The analysis of the data to be sent can be done on the first computer. Only if the check has revealed no anomalies will the first flood gate be opened. Then the data is sent from the third computer to the lock element, and then the first flood gate is closed again. Only after the first flood gate is completely closed will the second flood gate be opened. Then the data will be sent from the lock element to the second computer, and then the second flood gate will again be closed.

To receive data, the second flood gate is opened and the data to be received are transmitted from the second computer to the gate element. Then the second flood gate is closed, and only once it has been completely closed will the first flood gate be opened. Then the data will be sent from the lock element to the third computer. Then the first flood gate will be closed, and then the third computer will check and analyze the data. Only when the check has revealed no anomalies will the data be sent from the third computer to the first computer.

The fact that the two computers and the two computer networks are physically separated from one another prevents on-line attacks from the outside against one of the computers in a computer network and makes it impossible to manipulate from the outside the analysis processes that are carried out in the third computer.

It is advantageous for the link between the first computer and the second computer to be structured as an Integrated Services Digital Network (ISDN) connection according to the Net Terminal Base Adapter (NTBA) Standard.

As another way of accomplishing the object of this invention, it is proposed, based on the process of the type mentioned above, that the data link be designed as an Integrated Services Digital Network (ISDN) connection according to the Net Terminal Base Adapter (NTBA) Standard, that the data from the first computer be transferred via a third computer that is located in a common computer network with the first computer, and via the lock element to the second computer, and vice versa, and that to establish a data link and to transfer data between the third computer and the lock element and between the second computer and the lock element, the two B-channels of an ISDN connection according to the NTBA Standard be used.

According to an advantageous enhancement of this invention, it is proposed that an analysis of the data to be transferred be performed in the third computer. The analysis should preferably be performed according to semantic criteria.

At no time during the data transfer is the third computer directly connected to the second computer network or to the second computer. This is prevented by the flood gates, which are never opened at the same time when data are being transferred. Thus it is impossible for unauthorized third parties to gain direct access to the third computer during a data transfer or to manipulate the analysis mechanism contained in the third computer.

In the lock element itself, by contrast, no analysis of the data to be transferred is performed since, in order to transfer data, the lock element is in direct contact with the second computer network or with the second computer for a certain length of time. During this period of time, an analysis mechanism contained in the lock element could be manipulated by unauthorized third parties.

If the data is sent via the opened first flood gate from the lock element to the third computer, infected data files, i.e., data files that contain viruses or Trojan horses, could admittedly be stored in the third computer. However, here there is a decisive difference compared to the operation of known firewalls. Instead of carrying out all analysis processes on line, the third computer is able, depending on the desired scalable depth and duration of the analysis, to examine and, optionally, to destroy the passive data that the lock element has received from the second computer network without risk of access from the outside or of interactive manipulation.

Within the framework of the semantic analysis of the data, it is possible to check whether the content of certain data files can leave the in-house computer network and go outside. During the semantic analysis of data files, in particular these systems for electronic communication (e-mail) are checked since documents of any kind can be dispatched over them. In the process according to the invention, it is possible to perform a semantic analysis since the analysis times can be structured in a flexible manner.

According to a preferred embodiment of invention, to send data it is proposed:

- that the data to be sent be sent from the first computer to the third computer,
- that the third computer analyze and check the data,
- that the first flood gate be opened,
- that the data be sent from the third computer (INS) to the gate element,
- that the first flood gate be closed,
- that the second flood gate be opened,
- that the data be sent from the lock element to the second computer, and
- that the second flood gate be closed.

According to a preferred embodiment of invention, to receive data it is proposed:

- that the second flood gate be opened,
 - that the data to be received be sent from the second
 computer to the lock element,
 - that the second flood gate be closed,
 5 - that the first flood gate be opened,
 - that the data be sent from the lock element to the
 third computer,
 - that the first flood gate be closed,
 - that the third computer analyze and check the data,
 10 and
 - that the data be sent from the third computer to the
 first computer.

The first flood gate is preferably driven by the third
 computer, and the second flood gate is preferably driven by the
 lock element.
 15

According to an advantageous enhancement of the process
 according to the invention, the data to be received is sent from
 the lock element to the third computer at the time when the data
 to be sent is also sent from the third computer to the lock
 element. In this way two different data transfer steps can be
 carried out in one time-step. A prerequisite for this is that
 the positions of the flood gates be the same at this point in
 time. In the case of this enhancement, specifically the first
 flood gate is opened and the second flood gate is closed.
 20

According to another advantageous enhancement of the
 invention, the data to be received is sent from the second
 computer to the lock element at the point in time when the data
 to be sent is also sent from the lock element to the second
 computer. At this point in time, the first flood gate is closed
 25 and the second flood gate is opened.
 30

According to another enhancement of the process
 according to the invention, the analysis of the received data is
 carried out at the same time as the data to be sent is analyzed.
 The analysis of the data is preferably done in the third and/or

the fourth computer. The analysis of the data to be sent can, however, also be carried out in the first computer.

In principle, it is possible in one time-step to carry out the data transfer steps in which the positions of the flood gates are the same.

BRIEF DESCRIPTION OF THE DRAWINGS

A preferred embodiment of the invention in question is explained in greater detail below based on the drawing.

Figure 1 shows a computer system according to the invention.

DETAILED DESCRIPTION OF THE INVENTION

Figure 1 shows a data link for the purposes of transferring data between first computer 1 and a second computer 2. In the data link there is a lock element 6, whereby a first flood gate 7 is located between first computer 1 and lock element 6 and a second flood gate 8 is located between second computer 2 and lock element 6. First flood gate 7 is closed when second flood gate 8 is opened, and, vice versa, second flood gate 8 is closed when first flood gate 7 is opened.

First computer 1 is located in a first computer network 9, whereby first computer 1 is designed as a server for a computer network and first computer network 9 is designed as an enterprise-wide in-house computer network. Second computer 2 is located in a second computer network 10, whereby second computer 2 is designed as an Internet server and second computer network 10 is the Internet. In first computer network 9 there is a third computer 3, and in lock element 6 there is a fourth computer 4. The purpose of fourth computer 4 is to carry out various analysis processes inside lock element 6 and thus to perform a certain amount of pre-selection.

In order now to send data from first computer 1 to second computer 2, the data to be sent is first sent from first

computer 1 to third computer 3. In third computer 3, the data is analyzed and checked. The analysis is preferably carried out based on semantic criteria. Only if the analysis has revealed no anomalies will first flood gate 7 be opened. Then the data will be sent from third computer 3 to lock element 6, and then first flood gate 7 will be closed again. Only after first flood gate 7 is completely closed will second flood gate 8 be opened. Then the data is sent from lock element 6 to second computer 2, and then second flood gate 8 is closed again.

In order for data from second computer 2 to be received by first computer 1, second flood gate 8 is first opened and the data to be received is sent from second computer 2 to lock element 6. Then second flood gate 8 is closed, and only when it is completely closed will first flood gate 7 be opened. Then the data is sent from lock element 6 to third computer 3. Then first flood gate 7 is closed. Then third computer 3 checks and analyzes the data. Only if the analysis has revealed no anomalies will the data be sent from third computer 3 to first computer 1.

Lock element 6 between first computer 1 and second computer 2 ensures a physical separation between first computer 1 and second computer 2 and between both computer networks 9, 10. This makes it possible to ward off on-line attacks from the outside on first computer 1 in computer network 9, and it is impossible to manipulate from the outside the analysis processes that are carried out in third computer 3 since a direct attack from the outside on third computer 3 is not possible because of lock element 6.

The data link between first computer 1 and second computer 2 is designed as an Integrated Services Digital Network (ISDN) connection 5 according to the Net Terminal Base Adapter (NTBA) Standard. Third computer 3 is also connected to ISDN connection 5. Fourth computer 4 is not directly attached to the ISDN-NTBA since it is connected (via a separate network) to lock element 6. In this way the function of lock element 6 can be

implemented in a simple and efficient way. ISDN connection 5 according to the NTBA Standard has two bearer channels (B-channels) and a data channel (D-channel). Thus an ISDN-NTBA configuration allows a maximum of two data transfer links at one time.

If third computer 3 sets up a link with lock element 6 in order to transfer data, two B-channels are required for this purpose: lock element 6 is dialed up via the one B-channel, and via the second B-channel the data transfer link to lock element 6 is established. ISDN connection 5 that is established between third computer 3 and lock element 6 corresponds to a flood-gate position in which first flood gate 7 is opened and second flood gate 8 is closed. For technical reasons, therefore, it is not possible to connect lock element 6 to second computer 2 (second flood gate 8 is opened) at the same time in ISDN-NTBAs.

If, on the other hand, a link already exists between second computer 2 in second computer network 10 and lock element 6 (second flood gate 8 is opened), third computer 3 can no longer establish a connection with lock element 6 (first flood gate 7 cannot be opened) since, as explained above, this requires both B-channels of the ISDN-NTBA.

WHAT IS CLAIMED IS:

1. A computer system between at least a first computer (1) and a second computer (2) including a data link between the first computer (1) and the second computer (2), for the purpose of transmitting data between the first computer (1) and the second computer (2), comprising:

a lock element (6) provided in the data link between the first computer (1) and the second computer (2);

a first flood gate (7) provided between the first computer (1) and said lock element (6);

a second flood gate (8) provided between said lock element (6) and the second computer (2);

a third computer (3) provided between the first computer (1) and said first flood gate (7);

wherein the data link is an Integrated Service Digital Network (ISDN) connection according to the Net Terminal Base Adaptor (NTBA) standard, said ISDN connection including two B-channels for the establishment of a data transfer between the first computer (1) and said first flood gate (7) accomplished through said third computer (3), and further wherein said data transfer between said third computer (3) and said lock element (6) as well as said data transfer between said lock element (6) and the second computer (2) takes place through said two B-channels of said ISDN connection according to the NTBA standard, and further wherein said first flood gate (7) is closed when said second flood gate (8) is opened and said first flood gate (7) is opened when said second flood gate (8) is closed.

2. The computer system according to Claim 1, wherein the first computer (1) is arranged in a first computer network (9).

3. The computer system according to Claim 1, wherein the second computer (2) is arranged in a second computer network (10).

4. The computer system according to Claim 2, wherein the first computer (1) is designed as a server for a computer network and first computer network (9) is designed as an in-house enterprise-wide computer network.

5. The computer system according to Claim 3, wherein the second computer (2) is designed as an Internet server and said second computer network (10) is the Internet.

6. The computer system according to Claim 4, wherein said third computer (3) is arranged in said first computer network (9) and further including a fourth computer (4) is arranged in said lock element (6).

7. A process for transferring data between a first computer (1) and a second computer (2) through a third computer (3) via a data link through first and second flood gates and a lock element (6) provided between said first and second flood gates, said third computer provided between said first computer and said first flood gate, wherein said data link is designed as an Integrated Services Digital Network (ISDN) connection according to the Net Terminal Base Adapter (NTBA) standard, said ISDN connection including two B-channels for the establishment of a data transfer between said first computer (1) and said first flood gate (7) accomplished through said third computer (3), and further wherein said data transfer between said third computer (3) and said lock element (6) as well as said data transfer between said lock element (6) and said second computer (2) takes place through said two B-channels of said ISDN connection according to the NTBA standard, comprising the steps of:

transferring data from said first computer (1) to said lock element (6) only when said first flood gate (7) is opened and said second flood gate (8) is closed; and

transferring data from said second computer (2) to said lock element (6) only when said second flood gate (8) is opened and said first flood gate (7) is closed.

8. The process according to Claim 7, including the step of analyzing the data to be transmitted in said third computer (3).

9. The process according to Claim 8, wherein said analyzing step is carried out based on semantic criteria.

10. The process according to Claim 8, wherein the depth and duration of said analysis step are adjusted individually.

11. The process according to Claim 7, wherein, for sending data including the steps of:

- sending data from said first computer (1) to said third computer (3);
- analyzing data in said third computer;
- opening said first flood gate (7);
- sending data from said third computer (3) to said lock element (6);
- closing said first flood gate (7);
- opening said second flood gate (8);
- sending data from said lock element (6) to said second computer (2); and
- closing said second flood gate.

12. The process according to Claim 7, for receiving data including the steps of:

- opening said second flood gate (8);

sending data received from said second computer (2) to said lock element (6);
closing said second flood gate (8);
opening said first flood gate (7);
sending data from said lock element (6) to said third computer (3);
closing said first flood gate (7);
analyzing and checking the data in said third computer; and
sending data from said third computer (3) to said first computer (1).

13. The process according to Claim 11, wherein the data to be received is sent from said lock element (6) to said third computer (3) at the point in time when the data to be sent is also being sent from said third computer (3) to said lock element (6).

14. The process according to Claim 12, wherein the data to be received is sent from said lock element (6) to said third computer (3) at the point in time when the data to be sent is also being sent from said third computer (3) to said lock element (6).

15. The process according to Claim 11, wherein the data to be received is sent from said second computer (2) to said lock element (6) at the point in time when the data to be sent is also being sent from said lock element (6) to said second computer (2).

16. The process according to Claim 12, wherein the data to be received is sent from said second computer (2) to said lock element (6) at the point in time when the data to be sent is also being sent from said lock element (6) to said second computer (2).

17. The process according to Claim 11, wherein the analysis of the received data is carried out at the same time as the data to be sent is being analyzed.

18. The process according to Claim 12, wherein the analysis of the received data is carried out at the same time as the data to be sent is being analyzed.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
222

ABSTRACT OF THE DISCLOSURE

The invention relates to a data link between a first computer (1) and a second computer (2) for transmitting data. The aim of the invention is to provide a data link which is configured in such a way that non authorized third parties are not able to influence said data transmission or to find their way from the outside to one of the computers and to tamper with data. The inventive data link comprises a lock element (6), a first lock gate (7) being placed between said first computer (1) and said lock element (6) and a second lock gate (8) being placed between said second computer (2) and said lock element (6). The first lock gate (7) is closed when the second one (8) is opened and vice-versa.

1 / 1




Fig.1

Declaration and Power of Attorney for Patent Application

Erklärung für Patentanmeldungen mit Vollmacht

German Language Declaration

Als nachstehend benannter Erfinder erkläre ich hiermit an Eides Statt:

As a below named inventor, I hereby declare that:

daß mein Wohnsitz, meine Postanschrift und meine Staatsangehörigkeit den im nachstehenden nach meinem Namen aufgeführten Angaben entsprechen, daß ich nach bestem Wissen der ursprüngliche, erste und alleinige Erfinder (falls nachstehend nur ein Name angegeben ist) oder ein ursprünglicher, erster und Miterfinder (falls nachstehend mehrere Namen aufgeführt sind) des Gegenstandes bin, für den dieser Antrag gestellt wird und für den ein Patent für die Erfindung mit folgendem Titel beantragt wird:

My residence, post office address and citizenship are as stated next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Data Link between Two Computers, and Method for Transmitting Data between Said Computers

deren Beschreibung hier beigefügt ist, es sei denn (in diesem Falle Zutreffendes bitte ankreuzen), diese Erfindung

the specification of which is attached hereto unless the following box is checked:

☐ wurde angemeldet am _____ unter der US-Anmeldenummer oder unter der Internationalen Anmeldenummer im Rahmen des Vertrags über die Zusammenarbeit auf dem Gebiet des Patentwesens (PCT) _____ und am _____ abgeändert (falls zutreffend).

☐ was filed on _____ as United States Application Number or PCT International Application _____ and was amended on _____ (if applicable).

Ich bestätige hiermit, daß ich den Inhalt der oben angegebenen Patentanmeldung, einschließlich der Ansprüche, die eventuell durch einen oben erwähnten Zusatzantrag abgeändert wurde, durchgesehen und verstanden habe.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

Ich erkenne meine Pflicht zur Offenbarung jeglicher Informationen an, die zur Prüfung der Patentfähigkeit in Einklang mit Titel 37, Code of Federal Regulations, § 1.56 von Belang sind.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

German Language Declaration

Ich beanspruche hiermit ausländische Prioritätsvorteile gemäß Title 35, US-Code, § 119 (a)-(d), bzw. § 365(b) aller unten aufgeführten Auslandsanmeldungen für Patente oder Erfinderkunden, oder §365(a) aller PCT internationalen Anmeldungen, welche wenigstens ein Land ausser den Vereinigten Staaten von Amerika benennen, und habe nachstehend durch ankreuzen stündliche Auslandsanmeldungen für Patente bzw. Erfinderkunden oder PCT internationale Anmeldungen angegeben, deren Anmeldung dem der Anmeldung, für welche Priorität beansprucht wird, vorangeht.

Prior Foreign Applications
(Frühere ausländische Anmeldungen)

198 3 8 253.7

Germany

(Number)
(Nummer)(Country)
(Land)(Number)
(Nummer)(Country)
(Land)

Priority Not Claimed

~~Priority nicht beansprucht~~

22/08/98

(Day/Month/Year Filed)
(Tag/Monat/Jahr der Anmeldung)(Day/Month/Year Filed)
(Tag/Monat/Jahr der Anmeldung)

Ich beanspruche hiermit Prioritätsvorteile unter Title 35, US-Code, § 119(e) aller US-Hilfsanmeldungen wie unten aufgeführt.

(Application No.)
(Aktenzeichen)(Filing Date)
(Anmeldetag)(Application No.)
(Aktenzeichen)(Filing Date)
(Anmeldetag)

Ich beanspruche hiermit die mir unter Title 35, US-Code, § 120 zustehenden Vorteile aller unten aufgeführten US-Patentanmeldungen bzw. § 365(c) aller PCT internationalen Anmeldungen, welche die Vereinigten Staaten von Amerika benennen, und erkenne, insofern der Gegenstand eines jeden früheren Anspruchs dieser Patentanmeldung nicht in einer US-Patentanmeldung, bzw. PCT internationalen Anmeldung in in einer gemäß dem ersten Absatz von Title 35, US-Code, § 112 vorgeschriebenen Art und Weise offenbart wurde, meine Pflicht zur Offenbarung jeglicher Informationen an, die zur Prüfung der Patentfähigkeit in Einklang mit Title 37, Code of Federal Regulations, § 1.56 von Belang sind und die im Zeitraum zwischen dem Anmeldetag der früheren Patentanmeldung und dem nationalen oder im Rahmen des Vertrags über die Zusammenarbeit auf dem Gebiet des Patentwesens (PCT) gültigen internationalen Anmeldetags bekannt geworden sind.

(Application No.)
(Aktenzeichen)(Filing Date)
(Anmeldetag)(Application No.)
(Aktenzeichen)(Filing Date)
(Anmeldetag)

Ich erkläre hiermit, daß alle in der vorliegenden Erklärung von mir gemachten Angaben nach bestem Wissen und Gewissen der Wahrheit entsprechen, und ferner daß ich diese eidesstattliche Erklärung in Kenntnis dessen ablege, daß wissenschaftlich und vorsätzlich falsche Angaben oder dergleichen gemäß § 1001, Title 18 des US-Code strafbar sind und mit Geldstrafe und/oder Gefängnis bestraft werden können und daß derartige wissenschaftlich und vorsätzlich falsche Angaben die Rechtswirksamkeit der vorliegenden Patentanmeldung oder eines aufgrund deren erteilten Patentes gefährden können.

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below.

I hereby claim the benefit under Title 35, United States Code, § 120 of United States application(s), or § 365(c) of any PCT International application designating the United States, listed below and, insofar as subject matter of each of the claims of this application is not disclosed the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, § 11 acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application the national or PCT International filing date of this application.

(Status) (patented, pending, abandoned)

(Status) (patentiert, schwebend, aufgegeben)

(Status) (patented, pending, abandoned)

(Status) (patentiert, schwebend, aufgegeben)

I hereby declare that all statements made herein of my own knowledge true and that all statements made on information and belief are believed true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

German Language Declaration

VERTRETUNGSVOLLMACHT: Als benannter Erfinder beauftrage ich hiermit den (die) nachstehend aufgeführten Patentanwalt (Patentanwälte) und/oder Vertreter mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Angelegenheiten vor dem US-Patent- und Markenamt: (Name(n) und Registrierungsnummer(n) auflisten)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: (list name and registration number)

Mitchell B. Wasson Reg. No. 27,468
 Merlin P. Hoffman Reg. No. 22,281
 Stewart L. Gitler Reg. No. 31,295
 Christopher J. McDonald Reg. No. 41,533

Postanschrift:

Send Correspondence to: HOFFMAN, WASSON & GITLER, P.C.
 2381 Jefferson Davis Highway, Suite 522
 Arlington, VA 22202

Telefonische Auskünfte: (Name und Telefonnummer)

Direct Telephone Calls to: (name and telephone number)

Mitchell B. Wasson (703) 415-0100

Vor- und Zuname des einzigen oder ersten Erfinders	Full name of sole or first inventor
Unterschrift des Erfinders	Inventor's signature
Datum	Date
Wohnsitz	Residence
Staatsangehörigkeit	Citizenship
Postanschrift	Post Office Address
	Same as above
Vor- und Zuname des zweiten Miterfinders (falls zutreffend)	Full name of second joint inventor, if any
Unterschrift des zweiten Erfinders	Second Inventor's signature
Datum	Date
Wohnsitz	Residence
Staatsangehörigkeit	Citizenship
Postanschrift	Post Office Address
	Same as above

(Im Falle dritter und weiterer Miterfinder Miterfinder sind die entsprechenden Informationen und Unterschriften hinzuzufügen.)

(Supply similar information and signature for third and subsequent joint inventors.)

German Language Declaration

VERTRETUNGSVOLLMACHT: Als benannter Erfinder beauftrage ich hiermit den (die) nachstehend aufgeführten Patentanwalt (Patentanwälte) und/oder Vertreter mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Angelegenheiten vor dem US-Patent- und Markenamt. (Name(n) und Registrationsnummer(n) auflisten)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: (list name and registration number)

Postanschrift:

Send Correspondence to:

Telefonische Auskünfte: (Name und Telefonnummer)

Direct Telephone Calls to: (name and telephone number)

Vor- und Zuname des einzigen oder ersten Erfinders 3-00		Full name of third joint inventor Christoph MEINEL	
Unterschrift des Erfinders	Datum	Inventor's signature	Date 14.2.01
Wohnsitz		Residence Am Hohweg 16, D-54317 Gusterath, Germany	
Staatsangehörigkeit		Citizenship German	
Postanschrift		Post Office Address Same as above	
Vor- und Zuname des zweiten Miterfinders (falls zutreffend)		Full name of second joint inventor, if any	
Unterschrift des zweiten Erfinders	Datum	Second Inventor's signature	Date
Wohnsitz		Residence	
Staatsangehörigkeit		Citizenship	
Postanschrift		Post Office Address	

In Falle dritter und weiterer Miterfinder Miterfinder sind die entsprechenden Informationen und Unterschriften (Supply similar information and signature for third and subsequent joint inventors.) anzufügen.)